

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| L1 | 1 | (difference or delta) near5 (bitplan\$2 or bit adj1 plan\$2)same quadtree\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:23 |
| L2 | 7 | (difference or delta) near5 (imag\$2 or fram\$2 or pictur\$2)with quadtree\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:25 |
| L3 | 2 | 2 and quadtree near3(predict\$4 or estimat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:26 |
| L4 | 7959 | 382/236,237,239,240,232,233, 305;375/240.19,240.03,240.11.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:25 |
| L5 | 5 | 4 and(difference or delta) near5 (imag\$2 or fram\$2 or pictur\$2)with quadtree\$1 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:25 |
| L6 | 1 | 5 and quadtree near3(predict\$4 or estimat\$3) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:27 |
| L7 | 0 | (obtain and bit and plans and residual and image and quadtrees and quadtrees and estimation and quadtree and file and calculate and difference and between and quadtrees and residual and image and quadtrees and estimation and difference and quadtree and file and encoding and quadtrees and estimation and quadtree and file and difference adn quadtree andfile and motion and vectors and data and encoded and quadtrees).clm. | US-PGPUB | AND | OFF | 2006/10/19 16:33 |
| S1 | 2 | (bit-plan\$1 or bit adj1 plan\$1) near7(residual or difference)near3 (image or frame)same quadtrees | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 10:52 |

EAST Search History

| | | | | | | |
|-----|----|---|---|----|-----|------------------|
| S2 | 2 | (bit-plan\$1 or bit adj1 plan\$1) near7(residual or difference)same quadtrees | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 10:52 |
| S3 | 2 | (bit-plan\$1 or bit adj1 plan\$1) same(residual or difference)near3 (image or frame) and quadtrees | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 10:53 |
| S4 | 5 | (bit-plan\$1 or bit adj1 plan\$1) and(residual or difference)near3 (image or frame) and quadtrees | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:17 |
| S5 | 1 | (Video or multimedia) and (difference or residual) same quadtree same residual near7 estimation and difference near3 quadtree | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 11:12 |
| S6 | 0 | (Video or multimedia) and (difference or residual) same (bitplan\$2 or bit adj1 plan\$2)same (quadtree or wavelet)and residual near7 estimation same difference near3 (quadtree or bit adj1 plan\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 11:14 |
| S7 | 1 | (Video or multimedia) and (difference or residual) same (bitplan\$2 or bit adj1 plan\$2)and (quadtree or wavelet)and residual near7 estimation same difference near3 (quadtree or bit adj1 plan\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 11:15 |
| S8 | 20 | (Video or multimedia) and (difference or residual) same (bitplan\$2 or bit adj1 plan\$2)and (quadtree or wavelet)and (residual or difference) near3 (quadtree or bit adj1 plan\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 11:57 |
| S9 | 2 | (image or frame) near5(difference or residual) same (bitplan\$2 or bit adj1 plan\$2)same (quadtree or wavelet)and (residual or difference) near3 (quadtree or bit adj1 plan\$2) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:01 |
| S10 | 10 | (image or frame) near5(difference or residual) same (bitplan\$2 or bit adj1 plan\$2)same (quadtree or wavelet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:19 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|-----|------------------|
| S11 | 0 | S10 and estimat\$3 near5(quadtree or wavelet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:03 |
| S12 | 1 | S10 and (estimat\$3 or predict\$4) near3(frame or image) same residual near3(image or frame) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:19 |
| S13 | 7959 | 382/236,237,239,240,232,233, 305;375/240.19,240.03,240.11.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:25 |
| S14 | 6 | S13 and (image or frame) near5(difference or residual) same (bitplan\$2 or bit adj1 plan\$2)same (quadtree or wavelet) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 16:20 |
| S15 | 1 | S14 and (estimat\$3 or predict\$4) near3(frame or image) same residual near3(image or frame) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/10/19 12:19 |

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "((quadtrees <near/10> bit plains and estimation <near/3> difference)<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.» [Search Options](#)[View Session History](#)[New Search](#)**Modify Search**☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance.

Indexed by
[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

Search Results**BROWSE****SEARCH****IEEE XPLORE GUIDE**

Results for "(((quadtrees <near/10> residual and estimation <near/3> difference quadtree)<in>m..."

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(((quadtrees <near/10> residual and estimation <near/3> difference quadtree)<in>m...

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance with your search.

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((guadtrees <near/10> bit-plaints and estimation <near/3> difference)<in>metadata..."

☒ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract**No results were found.**

Please edit your search criteria and try again. Refer to the Help pages if you need assistance search.

[Help](#) [Contact Us](#) [Privacy & S](#)

© Copyright 2006 IEEE -

Indexed by
 Inspec